

Technology of Flushing Vascular Access Devices

References

1. Chatzinikolaou I, Zipf T, Hanna H, et al. Minocycline-ethylenediamine-tetraacetate lock solution for the prevention of implantable port infection in children with cancer. *Clinical Infectious Diseases*. 2003;36(1):116-119.
2. Raad I, Chatzinikolaou I, Chaiban G, et al. In vitro and ex vivo activities of minocycline and EDTA against microorganisms embedded in biofilm on catheter surfaces. *Antimicrobial Agents and Chemotherapy*. 2003;47(11):3580-3585.
3. Kite P, Eastwood K, Sugden S, Percival S. Use of in vivo-generated biofilms from hemodialysis catheters to test the efficacy of a novel antimicrobial catheter lock for biofilm eradication in vitro. *Journal of Clinical Microbiology*. 2004;42(7):3073-3076.
4. Dannenberg C, Bierbach U, Rothe A, Beer J, Lorholz D. Ethanol-lock technique in the treatment of bloodstream infections in pediatric oncology patients with broviac catheters. *Journal of Pediatric Hematology Oncology*. 2003;25(8):616-621.
5. Aiyangar A, Crone W, Crnich C, Maki D. Effect of ethanol on the mechanical properties of polyurethane catheters. Paper presented at: SEM Annual Conference and Exposition on Experimental and Applied Mechanics, 2002; Milwaukee, WI.
6. Wilson J, Cobb D. Updating your multiple-dose vial policy: The background. *Hospital Pharmacy*. 1998;33:427-432.
7. Kidd-Ljunggren K, Broman E, Ekvall H, Gustavsson O. Nosocomial transmission of hepatitis B virus infection through multiple-dose vials. *Journal of Hospital Infection*. 1999;43(1):57-62.
8. Katzenstein T, Jorgensen L, Permin H, et al. Nosocomial HIV-transmission in an outpatient clinic detected by epidemiological and phylogenetic analyses. *AIDS*. 1999;13:1737-1744.
9. Krause G, Trepka M, Whisenhunt R, et al. Nosocomial transmission of hepatitis C virus associated with the use of multidose saline vials. *Infect Control Hosp Epidemiol*. 2003;24(2):122-127.
10. Archibald L, Ramos M, Arduino M, et al. Enterobacter cloacae and Pseudomonas aeruginosa polymicrobial bloodstream infections traced to extrinsic contamination of a dextrose multidose vial. *Journal of Pediatrics*. 1998;133(5):640-644.
11. Lagging L, Aneman C, Nenonen N, et al. Nosocomial transmission of HCV in a cardiology ward during the window phase of infection: An epidemiological and molecular investigation. *Scand Journal of Infect Disease*. 2002;34(8):580-582.
12. Widell A, Christensson B, Wiebe T, et al. Epidemiologic and molecular investigation of outbreaks of hepatitis C virus infection on a pediatric oncology service. *Annals of Internal Medicine*. 1999;130(2):130-134.
13. Hutin Y, Godstein S, Varma J, O'Dair J, Shapiro EMC, Alter M. An outbreak of hospital-acquired hepatitis B virus infection among patients receiving chronic hemodialysis. *Infect Control Hosp Epidemiol*. 1999;20(11):731-735.
14. Abulrahi H, Bohlega E, Fontaine R, Al-Seghayer S, Al-Ruwais A. Plasmodium falciparum malaria transmitted in hospital through heparin locks. *The Lancet*. 1997;349:23-25.
15. MMWR. Transmission of hepatitis B and C viruses in outpatient settings -- New York, Oklahoma, and Nebraska, 2000-2002. *Morbidity and Mortality Weekly Report*. 2003;52(38):901-906.
16. Mattner F, Gastmeier P. Bacterial contamination of multiple-dose vials; A prevalence study. *American Journal of Infection Control*. 2004;32(1):12-16.
17. Goetz A, Rihs J, Chow J, Singh N, Muder R. An outbreak of infusion-related *Klebsiella pneumoniae* bacteremia in a liver transplantation unit. *Clinical Infectious Diseases*. 1995;21(6):1501-1503.
18. Chodoff A, Pettis A, Schoonmaker D, Shelly M. Polymicrobial gram-negative bacteremia associated with saline solutions flush used with a needleless intravenous system. *American Journal of Infection Control*. 1995;23:357-363.
19. Pegues D, Carson L, Anderson R, et al. Outbreak of *Pseudomonas cepacia* bacteremia in oncology patients. *Clinical Infectious Diseases*. 1993;16(3):407-411.
20. Cohen M. Intravenous bags as multiple-dose containers pose danger. *Hospital Pharmacy*. 1994;29:724-725.
21. Harbarth S, Sudre P, Dharan S, Cadenas M, Pittet D. Outbreak of Enterobacter cloacae related to understaffing, overcrowding, and poor hygiene practices. *Infect Control Hosp Epidemiol*. 1999;20(9):598-603.
22. Worthington T, Tebbs S, Moss H, Bevan V, Kilburn J, Elliott T. Are contaminated flush solutions an overlooked source for catheter-related sepsis? *Journal of Hospital Infection*. 2001;49(1):81-83.

23. Calop J, Bosson J, Croize J, Laurent P. Maintenance of peripheral and central intravenous infusion devices by 0.9% sodium chloride with or without heparin as a potential source for catheter microbial contamination. *Journal of Hospital Infection*. 2000;46:161.
24. Macklin D. What's physics go to do with it? *Journal of Vascular Access Devices*. 1999;4(2):7-13.
25. McDonald L, Banerjee S, Jarvis W. Line-associated bloodstream infections in pediatric intensive-care-unit patients associated with a needleless device and intermittent intravenous therapy. *Infect Control Hosp Epidemiol*. 1998;19(10):772-777.
26. Cookson S, Ihrig M, O'Mara E, et al. Increased bloodstream infection rates in surgical patients associated with variation from recommended use and care following implementation of a needleless device. *Int Journal of Legal Medicine*. 1998;19(1):23-27.
27. Danzig L, Short L, Collins K, et al. Bloodstream infections associated with a needleless intravenous infusion system in patients receiving home infusion therapy. *JAMA*. 1995;273:1862-1864.
28. Kellerman S, Shay D, Howard J, et al. Bloodstream infections in home infusion patients: The influence of race and needleless intravascular access devices. *Journal of Pediatrics*. 1996;129:711-717.
29. Do A, Ray B, Banerjee S, et al. Bloodstream infection associated with needleless device use and the importance of infection-control practices in the home health care setting. *Journal of Infectious Diseases*. 1999;179(2):442-448.
30. Donlan R, Murga R, Bell M, et al. Protocol for detection of biofilms on needleless connectors attached to central venous catheters. *Journal of Clinical Microbiology*. 2001;39(2):750-753.
31. Murga R, Miller J, Donlan R. Biofilm formation by gram-negative bacteria on central venous catheter connectors: Effect of conditioning films in a laboratory model. *Journal of Clinical Microbiology*. 2001;39(6):2294-2297.
32. Donlan R. Biofilm formation: A clinically relevant microbiological process. *Clinical Infectious Diseases*. 2001;33:1387-1392.
33. Donlan R. Biofilms: Microbial life on surfaces. *Emerging Infectious Diseases*. 2002;8(9):1-15.
34. Hoffer E, Bloch R, Borsa J, Santulli P, Fontaine A, Francoeur N. Peripherally inserted central catheters with distal versus proximal valves: Prospective, randomized trial. *Journal of Vascular and Interventional Radiology*. 2001;12(10):1173-1177.
35. Hoffer E, Borse J, Santulli P, Bloch R, Fontaine A. Prospective randomized comparison of valved versus nonvalved peripherally inserted central vein catheters. *American Journal of Roentgenography*. 1999;173:1393-1398.
36. Closson T, Holmes H, McCoy L. Using new technology to reduce antibiotic therapy costs: A case study. *Infusion*. 2002(Jan-Feb 2002):18-25.
37. Jarvis, W., et al. Increased central venous catheter-associated bloodstream infection rates temporarily associated with changing from a split-septum to a Luer-access mechanical valve needleless device: A nationwide outbreak? in Association of Practitioners in Infection Control. 2005. Baltimore, MD.
38. Cosgrove, S., et al. Increase in catheter-related bloodstream infections (CR-BSI) in pediatric intensive care units temporarily associated with a change in the needleless intravenous port. in Society for Healthcare Epidemiology of America. 2005. Los Angeles, CA: Slack, Inc. .
39. Karchmer, T., et al. Needleless valve ports may be associated with a high rate of catheter-related bloodstream infection. in Society for Healthcare Epidemiology of America. 2005. Los Angeles, CA: Slack, Inc.