Jefferson Regional Medical Center

CATHFLO PROTOCOL FOR DECLOTTING VASCULAR ACCESS DEVICES

02-201-0303

AUTHORIZATION

AUTHORIZATION HEREBY IS GIVEN TO DISPENSE THE GENERIC OF CHEMICAL EQUIVALENTS (UNDER THE FORMULARY SYSTEM) UNLESS THE PRODUCT IS CIRCLED.

DATE	TIME	GENERAL ORDERS
		PICC NURSE OR RN TRAINED FOR DECLOTTING VASCULAR ACCESS DEVICES WILL ASSESS THE DEVICE FOR PATENCY.
		FOR CLOTTED VASCULAR ACCESS DEVICES
		☐ 1. 2mg/2ml CATHFLO ACTIVASE - RECONSTITUTE PER MANUFACTURERS INSTRUCTIONS
		☐ 2. INSTILL AS A BOLUS USING PUSH PULL TECHNIQUE PER POLICY 60.2.15
		☐ 3. CHECK FOR BLOOD RETURN EVERY 30 MIN X 4
		☐ 4. WHEN BLOOD RETURN OBTAINED - ASPIRATE 5 TO 10cc AND FLUSH DEVICE WITH TWO 10 NSS FLUSHES.
		☐ 5. MAY REPEAT X 1 IF DEVICE DOES NOT CLEAR WITH THE FIRST APPLICATION
		FOR SLUGGISH VASCULAR ACCESS DEVICES - CAN FLUSH - NO BLOOD RETURN OR SLUGGISH CATHETERS
		☐ 1. HAVE PHARMACY MIX 2 mg/2ml CATHFLO PER LUMEN IN: ☐ D5W 50cc ☐ NSS 50cc
		☐ 2. DRIP OVER 2 HOURS
		☐ 3. REASSESS BLOOD RETURN IF BLOOD RETURN IS GOOD. ASPIRATE 10cc OF BLOOD AND DISCARD. FLUSH VASCULAR ACCESS DEVICE WITH TWO 10cc NSS.
		☐ 4. MAY REPEAT X 1 IF NECESSARY
		IF UNABLE TO CLEAR - FURTHER ASSESSMENT FOR PRESENCE OF A PRECIPITATE IS NECESSARY

SIGNATURE

PHYSICIAN'S	DATE	TIME
NURSE'S	DATE	TIME